



## Precautionary Drinking Water Advisory

This **Advisory** applies to all users of the Gravelbourg Distribution system in the following locations: 1<sup>st</sup> Ave W (west of Main St.) including the 100-300 blocks and the Gravelbourg NW pipeline, 100 block of Bettez St and the 100 block of Main St And is effective: 7:00 pm Sunday, July 8, 2018.

The safety of the Gravelbourg drinking water supply cannot be ensured at all times. Therefore, as a precautionary measure consumers should:

- (a) Boil all water, used for drinking purposes, for at least one (1) minutes, at a rolling boil, prior to usage;
- (b) Boil water to be used for other activities where it may be ingested, including:
  - (i) brushing teeth or soaking false teeth;
  - (ii) washing fruits and vegetables;
  - (iii) food or drink which will not be subsequently heated; and
  - (iv) ice cubes;
- (c) Not drink from any public drinking fountains supplied with water from the public water supply;
- (d) Under most circumstances, no need to boil water used for other household purposes, such as laundry. Adults, adolescents and older children may shower, bathe or wash using tap water but should avoid swallowing the water. Dishes may be disinfected by washing in dishwashing machines that have a dry cycle or a final rinse that exceeds 45°C for 20 minutes, 50°C for 5 minutes, or 72°C for 1 minute.
- (e) Ensure that younger children and infants are sponge bathed;
- (f) Use an alternative water source known to be safe, if they do not wish to boil the water; and
- (g) Consult with your physician if you have cuts or rashes that are severe before using the water.

If you require any additional information, please contact the following:

Municipal Office	(306) 648-3301
Water Security Agency	(306) 862-1767
Sask Health Authority – Moose Jaw	(306) 691-1500
Water Security Agency – Communications Manager	(306) 694-8914 – for Media Inquiries

Ries Mansuy, A.Sc.T.  
Sr. Environmental Project Officer  
Water Security Agency - Drinking Water and Wastewater Management Division